Annual Indexes

Volume 4—October 1974 to July 1975

1. Subject Index

A

Absolute color rendering 25
Absorption method, Lighting Calculations by the 183
Ac characteristics of mercury arc lamps, Theoretical prediction of 253
Aircraft/airline industries—manufacturing and maintenance, Lighting for the 207
A new generation deluxe fluorescent lamp—combining an efficacy greater than 80 lm/W with a color rendering index of about 85 90
A new generation of metal halide lamps 106
An ultra high efficacy HID lamp 249
Application to gas-filled incandescent, Diffusion-limited evaporation in a temperature gradient and 198
Arc lamp, Energy balance of the scandium-sodium iodide arc lamp ... 260
Arc lamps, Theoretical prediction of ac characteristics of mercury 253
Arcs, Convective effects in 265
Area and sports lighting installations, IES guide for photometric measurements of 60
A survey and analysis of important visual tasks in offices 150
A validation of the color-preference index 48

B

Book reviews 233
Bulb diameter and fill pressure, Evaluation of F40 fluorescent lamps as a function of 243
Burnout, Effect of variations in coil pitch on 280

C

Calculations by the absorption method, Lighting 183
Calculations, Position index in VCP 99
Calibration of photoelectric control devices, IES guide for 69
Coil pitch on burnout, Effect of variations in 280
Color-preference index, A validation of the 48
Color rendering, Absolute 25
Color rendering index of about 85, A new generation deluxe fluorescent lamp—combining an efficacy greater than 80 lm/W with a 90
Committee Reports
- IES approved method for life testing of general lighting incandescent filament lamps 72
- IES approved method for life testing of HID lamps 66
- IES approved method for photometric measurements of HID lamps 229
- IES guide for calibration of photoelectric control devices 69
- IES guide for Photometric measurements of area and sports lighting installations 60
- IES guide for photometric measurement of roadway lighting installations 154
- Lighting for the aircraft/airline industries—manufacturing and maintenance 207
- Lighting outdoor locations of electric generating stations 220
- Lighting roadway safety rest areas 75
- Roadway sign illumination 78
- Tennis court lighting—a revision to the IES sports lighting practice ... 292

Computation of equivalent sphere illumination, On the 129
Convective effects in arcs 265

D

Design of the optimal intensity distribution of a luminaire in terms of visual performance potential, Veiling reflections and the 53
Design, Optimization—a synthetic approach to lighting 286
Diffusion-limited evaporation in a temperature gradient and application to gas-filled incandescent lamps 198
Dirt depreciation and maintenance, Reducing theory to practice—luminaire 177
Discomfort glare, The pupillary response and 307
Discussion of previously published papers 157,234
Distribution of a luminaire in terms of visual performance potential, Veiling reflections and the design of the optimal intensity 53

E

Effect of variations in coil pitch on burnout 280
Efficacy HID lamp, An ultra high 249
Electric generating stations, Lighting outdoor locations of 220
Electromigration and improved filament life of microminiature lamps, Observations on 19
Energy and cost saving kryptron filled incandescent lamps 188
Energy balance of the scandium-sodium iodide arc lamp 260
Equivalent sphere illumination, On the computation of 129
European approach to the luminance aspect of roadway lighting 111
Evaluation of F40 fluorescent lamps as a function of bulb diameter and fill pressure 243

F

Filament life of microminiature lamps, Observations on electromigration ... 19
Fixed and vehicular illumination systems on city streets, Interaction between 3
Fluorescent lamp, A new generation deluxe 90
Fluorescent lamps as a function of bulb diameter and fill pressure, Evaluation of F40 243
Fluorescent lamp starting aids—how and why they work 29
Fluorescent luminaires, IES approved method for photometric testing of outdoor 296
Flux measurements of ultraviolet emitting light sources, Radiant 36

G

Gas filled incandescent lamps, diffusion-limited evaporation in a temperature gradient and application to 198
Glare, the pupillary response and discomfort 307

H

Heat and mass transport in gas filled incandescent lamps 271
HID field measurements vs data calculated from photometry 84
HID lamp, An ultra high efficacy 249
HID lamps, IES approved method for life testing of 66
HID lamps, IES approved method for photometric measurements of 229
High efficacy low wattage HPS lamp for street lighting and other applications 204
Hot spot length on the behavior of straight wire incandescent filaments, The effect of 163
HPS lamp for street lighting and other applications, High efficacy low wattage 204
HPS lamps—the application of Penning mixture starting gases (Abstract).... 279

I

IERI project 84—The pupillary response and discomfort glare 307
IES approved method for life testing of general lighting incandescent filament lamps 72
IES approved method for life testing of HID lamps 66
IES approved method for photometric measurements of HID lamps 229
IES approved method for photometric testing of outdoor fluorescent luminaires 296
IES guide for photometric measurements of area and sports lighting installations 60
IES guide for photometric measurement of roadway lighting installations 154
Illumination systems on city streets, Interaction between fixed and vehicular 3
Incandescent filament lamps
Incandescent filament lamps, IES approved method for life testing of general lighting 72
Incandescent filaments, The effect of hot spot length on the behavior of straight wire 163
Incandescent Lamps
- Diffusion-limited evaporation in a temperature gradient and application to gas-filled 198
- Energy and cost saving krypton filled 188
- Heat and mass transport in gas filled 271

Interaction between fixed and vehicular illumination systems on city streets .. 3
Introducing the candidates 239
Irradiance from illuminants in terms of proposed public health standards, Measurement and ultraviolet 43

J

Judd memorial collection 119

K

Krypton filled incandescent lamps, Energy and cost saving 188

L

Lamps for assessing metamerism 11
Life testing of general lighting incandescent filament lamps, IES approved method for 72
Life testing of HID lamps, IES approved method for 66
Lighting calculations by the absorption method 183

Lighting design, Optimization—a synthetic approach to 286
Lighting design with generalized reflectance 171
Lighting for the aircraft/airline industries—manufacturing and maintenance 207
Lighting outdoor locations of electric generating stations 220
Lighting roadway safety rest areas 75
Light Sources
A new generation deluxe fluorescent lamp—combining an efficacy greater than 80 lm/W with a color rendering index of about 85 90
A new generation of metal halide lamps 106
A new generation of metal halide lamps 106
An ultra high efficacy HID lamp 249
Convective effects in arcs 265
Diffusion-limited evaporation in a temperature gradient and application to gas-filled incandescent lamps 198
Effect of variations in coil pitch burnout 280
Energy and cost saving krypton filled incandescent lamps 188
Energy balance of the scandium-sodium iodide arc lamp 260
Evaluation of F40 fluorescent lamps as a function of bulb diameter and fill pressure 243
Fluorescent lamp starting aids—how and why they work 29
Heat and mass transport in gas filled incandescent lamps 271
HID field measurements vs data calculated from photometry 84
High efficacy low wattage HPS lamps for street lighting and other applications 204
HPS lamps—the application of Penning mixture starting gases (Abstract) 279
IES approved method for life testing of general lighting incandescent filament lamps 72
IES approved method for life testing of HID lamps 66
IES approved method for photometric measurements of HID lamps 229
IES approved method for photometric testing of outdoor fluorescent luminaires 296
Measurement of ultraviolet irradiance from illuminants in terms of proposed public health standards . 43
Observations on electromigration and improved filament life of miniature lamps 19
Radiant flux measurements of ultraviolet emitting light sources 36
The effect of hot spot length on the behavior of straight wire incandescent filaments 163
Theoretical prediction of ac characteristics of mercury arc lamps ... 253
Luminaire dirt depreciation and maintenance, Reducing theory to practice . 177
Luminaire in terms of visual performance potential, Veiling reflections and the design of the optimal intensity distribution of a 53
Luminaires, IES approved method for photometric testing of outdoor fluorescent 296
Luminance aspect of roadway lighting, European approach to the 111

M

Maintenance, Reducing theory to practice—luminaire dirt depreciation and 177
Manufacturing and maintenance, Lighting for the aircraft/airline industries . 207
Measurement of ultraviolet irradiance from illuminants in terms of proposed public health standards 43
Measurements of HID lamps, IES approved method for photometric ... 229
Measurements of ultraviolet emitting light sources, Radiant flux 36
Mercury arc lamps, Theoretical prediction of ac characteristics of 253
Metal halide lamps, A new generation of 106
Metamerism, Lamps for assessing 11
Microminiature lamps, Observations on electromigration and improved filament life of 19

O

Observations on electromigration and improved filament life of miniature lamps 19
Offices, A survey and analysis of important visual tasks in 150
On the computation of equivalent sphere illumination 129
Optimization—a synthetic approach to lighting design 286
Outdoor fluorescent luminaires, IES approved method for photometric testing of 296

P

Penning mixture starting gases, HPS lamps—the application of (Abstract) . 279
Photoelectric control devices, IES guide for calibration of 69
Photometric measurement of roadway lighting installations, IES guide for .. 154
Photometric measurements of area and sports lighting installations, IES guide for 60
Photometric measurements of HID lamps, IES approved method for 229
Photometric testing of outdoor fluorescent luminaires, IES approved method for 296
Photometry, hid field measurements vs data calculated from 84
Position index in VCP calculations 99
Public health standards, measurement of ultraviolet irradiance from illuminants in terms of proposed 43
Pupillary response and discomfort glare 307

R

Radiant flux measurements of ultraviolet emitting light sources 36
Reducing theory to practice—luminaire dirt depreciation and maintenance ... 177
Reflectance, Lighting design with generalized 171
Rendering, Absolute color 25
Rest areas, Lighting roadway safety ... 75
Roadway lighting, European approach to the luminance aspect of 111
Roadway lighting installations, IES guide for photometric measurement of 154
Roadway safety rest areas, Lighting ... 75
Roadway sign illumination 78

S

Scandium-sodium iodide arc lamp, energy balance of the 260
Sign illumination, Roadway 78
Sports lighting installations, IES guide for photometric measurements of area and 60
Sports lighting practice, Tennis court lighting—a revision to the IES 292
Starting aids—how and why they work, Fluorescent lamp 29
Street lighting and other applications, High efficacy low wattage HPS lamp for 204
Streets, interaction between fixed and vehicular illumination systems on ... 3

T

Tennis court lighting—a revision to the IES sports lighting practice 292
Testing Procedures
IES approved method for life testing of general lighting incandescent filament lamps 72
IES approved method for life testing of HID lamps 66
IES approved method for photometric measurements of HID lamps 229
IES approved method for photometric testing of outdoor fluorescent luminaires 296
IES guide for calibration of photoelectric control devices 69
IES guide for photometric measurement of roadway lighting installations 154
IES guide for photometric measurements of area and sports lighting installations 60
The effect of hot spot length on the behavior of straight wire incandescent filaments 163
Theoretical prediction of ac characteristics of mercury arc lamps 253
The pupillary response and discomfort glare 307
Tunnels, Visibility study for long vehicular 120

U

Ultraviolet emitting light sources, Radiant flux measurements of 36
Ultraviolet irradiance from illuminants in terms of proposed public health standards, Measurement of 43

V

VCP calculations, Position index in 99
Vehicular illumination systems on city streets, Interaction between fixed and 3
Vehicular tunnels, Visibility study for long 120
Veiling reflections and the design of the optimal intensity distribution of a luminaire in terms of visual performance potential 53
Visibility study for long vehicular tunnels 120
Visual performance potential, Veiling reflections and the design of the optimal intensity distribution of a luminaire in terms of 53
Visual tasks in offices, A survey and analysis of important 150

2. Author Index

B

Baker, C.—The effect of hot spot length on the behavior of straight wire incandescent filaments 163
Bickford, E.D.—Measurement of ultraviolet irradiance from illuminants in terms of proposed public health standards 43

C

Clark, G.W.—Measurement of ultraviolet irradiance from illuminants in terms of proposed public health standards 43
Cohen, S.—HPS lamps—the application of Penning mixture starting gases (Abstract) 279
Covington, E.J.—Diffusion-limited evaporation in a temperature gradient and application to gas-filled incandescent lamps 198
Effect of variations in coil pitch on burnout 280

D

DiLaura, D.L.—On the computation of equivalent sphere illumination 129

F

Farber, E.—Interaction between fixed and vehicular illumination systems on city streets 3
Fischer, D.—European approach to the luminance aspect of roadway lighting 111
Fischer, E.—Heat and mass transport in gas filled incandescent lamps 271
Fitzgerald, J.—Heat and mass transport in gas filled incandescent lamps . 271
Fohl, T.—Convective effects in arcs ... 265
Fry, G.A.—The pupillary response and discomfort glare 307

G

Gallagher, V.P.—Interaction between fixed and vehicular illumination systems on city streets 3
Gallien, J.P.—Evaluation of F40 fluorescent lamps as a function of bulb diameter and fill pressure 243
Gaston, E.A.—Lighting design with generalized reflectance 171
Gungle, W.C.—A new generation of metal halide lamps 106

H

Hirayama, C.—An ultra high efficacy HID lamp 249
Horster, H.—Heat and mass transport in gas filled incandescent lamps 271
Helms, R.N.—Optimization—a synthetic approach to lighting design ... 286
Henderson, R.L.—A survey and analysis of important visual tasks in offices 150

I

Ingold, J.H.—Diffusion-limited evaporation in a temperature gradient and application to gas-filled incandescent lamps 198

J

Janoff, M.S.—Interaction between fixed and vehicular illumination systems on city streets 3
Jerome, C.W.—Absolute color rendering 25

K

Kaufman, R.—Energy and cost saving krypton filled incandescent lamps ... 188
Keeffe, W.M.—Energy balance of the scandium-sodium arc lamp 260
Ketvirtis, A.—Visibility study for long vehicular tunnels 120
King, V.M.—The pupillary response and discomfort glare 307
Knochel, W.J.—High efficacy low wattage HPS lamp for street lighting and other applications 204
Koo, R.C.—Observations on electromigration and improved filament life of microminiature lamps 19
Koury, F.—A new generation of metal halide lamps 106

L

Levin, R.E.—Position index in VCP calculations 99
Lin, F.C.—High efficacy low wattage HPS lamp for street lighting and other applications 204
Liu, C.S.—An ultra high efficacy HID lamp 249
Lowke, J.J.—Theoretical prediction of ac characteristics of mercury arc lamps 253

M

McNall, J.W.—An ultra high efficacy HID lamp 249
McNelis, J.F.—A survey and analysis of important visual tasks in offices ... 150
Milke, H.W.—Fluorescent lamp starting aids—how and why they work ... 29

N

Ngai, P.Y.—Optimization—a synthetic approach to lighting design 286
Veiling reflections and the design of optimal intensity distribution of a luminaire in terms of visual performance potential 53

O

Odle, H.A.—HID field measurements vs data calculated from photometry .. 84
Orlando, J.W.—Energy and cost saving krypton filled incandescent lamps ... 188
Otto, F.B.—Lighting calculations by the absorption method 183

R

Radielović, D.—A new generation deluxe fluorescent lamp—combining an efficacy greater than 80 lm/W with a color rendering index of about 85 90
Richardson, D.—HPS lamps—the application of Penning mixture starting gases (Abstract) 279
Roche, W.J.—Fluorescent lamp starting aids—how and why they work ... 29

S

Scholz, C.F.—Reducing theory to practice—luminaire dirt depreciation and maintenance 177
Spears, G.R.—Measurement of ultraviolet irradiance from illuminants in terms of proposed public health standards 43
Radiant flux measurements of ultraviolet emitting light sources 36
Spencer, D.E.—Lighting design with generalized reflectance 171

T

Thorton, W.A.—A validation of the color-preference index 48
Lamps for assessing metamerism ... 11
Thouret, W.E.—Energy and cost saving krypton filled incandescent lamps 188

V

Verstegen, J.M.P.J.—A new generation deluxe fluorescent lamp—combining an efficacy greater than 80 lm/W with a color rendering index of about 85 90
Vrenken, L.E.—A new generation delux fluorescent lamp—combining an efficacy greater than 80 lm/W with a color rendering index of about 85 90

W

Waymouth, J.F.—A new generation of metal halide lamps 106
Williams, H.G.—A survey and analysis of important visual tasks in offices ... 150
Woodhouse, J.—Observations on electromigration and improved filament life of microminiature lamps .. 19

Z

Zollweg, R.J.—An ultra high efficacy HID lamp 249
Theoretical prediction of ac characteristics of mercury arc lamps 253